

Prepared for:

CBD Luxe

955 E Westglow Ln.,
Greenwood Village, CO 80121


BEVARIN Soft Gels

Batch ID or Lot Number: AGCOSGPM0715202209	Test: Potency	Reported: October 18, 2023	USDA License: N/A
Matrix: Unit	Test ID: T000214039	Started: October 17, 2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: October 17, 2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.099	0.294	ND	ND	# of Servings = 1, Sample Weight=0.337g
Cannabichromenic Acid (CBCA)	0.091	0.269	ND	ND	
Cannabidiol (CBD)	0.294	0.817	60.540	179.90	
Cannabidiolic Acid (CBDA)	0.302	0.838	0.380	1.10	
Cannabidivarin (CBDV)	0.070	0.193	11.320	33.60	
Cannabidivarinic Acid (CBDVA)	0.126	0.350	ND	ND	
Cannabigerol (CBG)	0.056	0.167	1.710	5.10	
Cannabigerolic Acid (CBGA)	0.235	0.698	ND	ND	
Cannabinol (CBN)	0.073	0.218	ND	ND	
Cannabinolic Acid (CBNA)	0.160	0.476	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.280	0.831	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.254	0.755	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.225	0.669	ND	ND	
Tetrahydrocannabivarin (THCV)	0.051	0.152	2.910	8.60	
Tetrahydrocannabivarinic Acid (THCVA)	0.199	0.590	ND	ND	
Total Cannabinoids			76.860	228.34	
Total Potential THC			ND	ND	
Total Potential CBD			60.873	180.85	

Final Approval



Sam Smith
18Oct2023
02:46:00 PM MDT

PREPARED BY / DATE



Daniel Weidensaul
18Oct2023
02:58:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/6e12952d-4115-4206-9f44-9bf449c5632a>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
6e12952d411542069f449bf449c5632a.1