

Prepared for:

CBD LUXE

955 E WESTGLOW

GREENWOOD VILLAGE, CO USA 80121

MEOS Topical Hair Spray

Batch ID or Lot Number: MTS001A	Test: Potency	Reported: 29Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000247555	Started: 27Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 26Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.678	1.933	ND	ND	# of Servings = 1, Sample Weight=30g
Cannabichromenic Acid (CBCA)	0.620	1.768	ND	ND	
Cannabidiol (CBD)	1.817	4.758	11.080	0.40	
Cannabidiolic Acid (CBDA)	1.863	4.880	ND	ND	
Cannabidivarin (CBDV)	0.430	1.125	2.490	0.10	
Cannabidivarinic Acid (CBDVA)	0.777	2.036	ND	ND	
Cannabigerol (CBG)	0.385	1.097	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	1.609	4.587	ND	ND	
Cannabinol (CBN)	0.502	1.431	ND	ND	
Cannabinolic Acid (CBNA)	1.098	3.130	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.916	5.465	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.741	4.963	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.542	4.397	ND	ND	
Tetrahydrocannabivarin (THCV)	0.350	0.998	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	1.360	3.879	ND	ND	
Total Cannabinoids			13.570	0.50	
Total Potential THC			ND	ND	
Total Potential CBD			11.080	0.40	

Final Approval



Karen Winternheimer
29Jun2023
11:16:00 AM MDT

PREPARED BY / DATE



Sam Smith
29Jun2023
11:18:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/241231a1-7343-4c17-ab20-63479ce63e60>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

241231a17343c17ab2063479ce63e60.1